

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	22	"5991817"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/16 13:14
S2	161	embed\$4 with memor\$4 same router\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 11:09
S3	19	embed\$4 with memor\$4 same router\$1 and "709"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 13:09
S4	82	external\$4 with memor\$4 same router\$1 and "709"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 13:09
S5	47	external\$4 with memor\$4 with router\$1 and "709"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 13:35
S6	26	external\$4 with memor\$4 with ASIC and "709"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 13:39
S7	50	router\$1 same crossbar\$1 and "709"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 14:01
S8	59	router\$1 same external\$4 near10 memor\$4 and "709"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 14:08
S9	36	router\$1 same external\$4 near3 memor\$4 and "709"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 14:23

S10	11	router\$1 same external\$4 near3 buffer\$3 and "709"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 14:23
S11	22	router\$1 same external\$4 with buffer\$3 and "709"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 14:27
S12	13	EMBED\$4 WITH BUFFER\$4 same external\$4 with buffer\$3 and "709"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 14:28
S13	157	EMBED\$4 WITH BUFFER\$4 same external\$4 with buffer\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 14:29
S14	48	external\$4 with buffer\$3 same router\$4 and "370"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 14:30
S15	7	370/395.1-395.21.ccls. and 710/316,317.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 15:03
S16	0	370/395.1-395.21.ccls. and 710/316,317.ccls. and 712/36. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 15:04
S17	0	710/316,317.ccls. and 712/36. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 15:04
S18	0	370/395.1-395.21.ccls. and 712/36.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 15:04
S19	254	712/36.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 15:04

S20	0	712/36.ccls. and 709/238-241/ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 15:04
S21	0	"."	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 15:04
S22	1	712/36.ccls. and 709/238-241. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 15:04
S23	2	router near5 IC near10 crossbar\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 15:11
S24	17	router near5 circuit\$4 near10 crossbar\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 15:18
S25	0	router near5 component\$4 near10 crossbar\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 15:11
S26	10	"6366583"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 15:18
S27	22	"5991817"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 11:09
S28	9	embed\$4 with memor\$4 same router\$1 same RAM	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 11:11
S29	0	Buffer\$5 near10 WAN near10 RAM same LAN near10 embed\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 11:11

S30	0	Buffer\$5 near10 WAN near10 RAM same LAN	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 11:11
S31	0	Buffer\$5 near10 WAN near10 RAM	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 11:12
S32	663	Buffer\$5 near10 packet\$4 near10 RAM	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 11:13
S33	0	Buffer\$5 near10 packet\$4 near10 offchip	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 11:13
S34	6	Buffer\$5 near10 packet\$4 near10 off adj chip	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 11:15
S35	27	crossbar\$1 near10 register\$4 same RAM	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 11:17
S36	0	crossbar\$1 near10 buffer\$4 same DRAM and "709"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 11:17
S37	9	crossbar\$1 near10 buffer\$4 same DRAM	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 11:18
S38	214	ASIC near10 router\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 11:18
S39	6	single near10 ASIC near10 router\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 11:24

S40	63	single near10 ASIC same router\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 11:24
S41	194	single near10 ASIC and "709"/\$. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 11:24
S42	31	single near10 ASIC and "709"/238-245.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 12:00
S43	24917	handl\$4 near10 packet\$4 (CAM \$2RAM) near10 (stor\$4) near10 buffer\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 12:03
S44	4	handl\$4 near10 packet\$4 near10 (CAM \$2RAM) near10 (stor\$4) near10 buffer\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 12:04
S45	0	handl\$4 near10 packet\$4 near10 (CAM \$2RAM) near10 (stor\$4) near10 embed\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 12:04
S46	0	handl\$4 near10 packet\$4 near10 (CAM \$2RAM) near10 embed\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 12:04
S47	13	packet\$4 near10 (CAM \$2RAM) near10 embed\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 12:04
S48	6786	370/392,401.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/16 13:15
S49	701	370/392,401.ccls. and router\$1 same memor\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/16 13:15

S50	20508471	370/392,401.ccls. and router\$1 same memor\$4and @ad<"20010331"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/16 13:15
S51	400	370/392,401.ccls. and router\$1 same memor\$4 and @ad<"20010331"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/16 13:19
S52	2	370/392,401.ccls. and router\$1 same embed\$4 with memor\$4 and @ad<"20010331"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/16 13:16
S53	23	370/392,401.ccls. and router\$1 same memor\$4 with external\$4 and @ad<"20010331"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/16 13:31
S54	7	370/392,401.ccls. and inbound same memor\$4 with external\$4 and @ad<"20010331"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/16 13:46
S55	0	370/392,401.ccls. and outbound same memor\$4 with embed\$4 and @ad<"20010331"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/16 14:04
S56	21	370/392,401.ccls. and inbound with external\$4 and @ad<"20010331"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/16 13:40
S57	1336430	370/392,401.ccls. and inbound same buffer\$4with external\$4 and @ad<"20010331"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/16 13:46
S58	2	370/392,401.ccls. and inbound same buffer\$4 with external\$4 and @ad<"20010331"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/16 13:47
S59	3	370/392,401.ccls. and inbound same buffer\$4 with different\$4 and @ad<"20010331"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/16 13:47

S60	3	"5911817"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/16 13:48
S61	23	"5991817"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/16 13:54
S62	32	external\$4 near5 memory\$4 near10 embed\$5 and "370"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/16 13:55
S63	2	370/392,401.ccls. and outbound with embed\$4 and @ad<"20010331"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/16 14:09
S64	3	370/392,401.ccls. and packet\$4 near10 embed\$4 with memor\$4 and @ad<"20010331"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/16 14:27
S65	1065	G06E	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/16 14:55
S66	0	"G06E 104"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/16 14:28
S67	1	"G06E 300"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/16 14:28
S68	2	"6073181"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/16 15:02
S69	36	embed\$4 near10 (memor\$4 \$2RAM) near10 (IC ASIC integrat\$4 near5 circuit\$4) and "370"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/16 16:54

S70	2	"6671277"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/16 16:59
S71	10	("5434863" "5822319" "5920566" "6014380" "6081522" "6118760" "6160811" "6172980" "6185214" "6333933").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/16 17:12
S72	0	"370"/\$.ccls. and stor\$4 near10 packet\$4 near10 external adj memor\$4 near10 send\$4 near10 crossbar	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/16 17:14
S73	108	"370"/\$.ccls. and stor\$4 near10 packet\$4 near10 external adj memor\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/16 17:14
S74	74	"370"/\$.ccls. and stor\$4 near10 packet\$4 near10 external adj memor\$4 same (switch\$4 transfer\$4 crossbar)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/16 17:15
S75	60	"370"/\$.ccls. and stor\$4 near10 packet\$4 near10 external adj memor\$4 same (switch\$4 transfer\$4 crossbar) and @ad<"20011031"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/16 17:24
S76	77	"5434863"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/16 17:43
S77	0	inbound\$4 near10 packet\$4 near10 common near10 memor\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/16 17:43
S78	1667856	inbound\$4 near10 packet\$4 near10 sharednear10 memor\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/16 17:43
S79	4	inbound\$4 near10 packet\$4 near10 shared near10 memor\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/16 18:01

S80	1	"5150358".PN.	USPAT; USOCR	OR	OFF	2005/05/16 17:43
S81	16	"5195181"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/16 18:18
S82	10	"6366583"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/16 18:23
S83	20	"6246680"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/16 18:29
S84	14	(embed\$4 "on chip" or "on-chip") near3 memor\$4 near10 (stor\$4 buffer\$4) near10 (LAN WAN network\$4) near10 (packet\$4 traffic\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/16 18:31